



NOTES -

- 1- OUTSIDE ROLLS TO BE ASSEMBLED WITH SPROCKETS TOWARD DRIVE SIDE OF PAIL.
- 2- INSIDE ROLLS TO BE ASSEMBLED WITH SPROCKETS TOWARD IDLE SIDE OF PAIL.









1208 PURCHASE SPEC. DWG.
349 FOR KRASTIC ROLLS

REVISIONS			
ZONE	SYN	DESCRIPTION	DATE
C-2	A	Added Pt. 120-A-712	7/1/62


[illegible]


REV	DATE	DESCRIPTION	BY	APP'D
0-1	A	Asstd. Pt. (34-C-600)	W.S.	A.S.
0-2	B	UNITED STATES OF AMERICA		
0-3	C	UNITED STATES OF AMERICA		
0-4	D	UNITED STATES OF AMERICA		
0-5	E	UNITED STATES OF AMERICA		
0-6	F	UNITED STATES OF AMERICA		
0-7	G	UNITED STATES OF AMERICA		
0-8	H	UNITED STATES OF AMERICA		
0-9	I	UNITED STATES OF AMERICA		
0-10	J	UNITED STATES OF AMERICA		
0-11	K	UNITED STATES OF AMERICA		
0-12	L	UNITED STATES OF AMERICA		
0-13	M	UNITED STATES OF AMERICA		
0-14	N	UNITED STATES OF AMERICA		
0-15	O	UNITED STATES OF AMERICA		
0-16	P	UNITED STATES OF AMERICA		
0-17	Q	UNITED STATES OF AMERICA		
0-18	R	UNITED STATES OF AMERICA		
0-19	S	UNITED STATES OF AMERICA		
0-20	T	UNITED STATES OF AMERICA		
0-21	U	UNITED STATES OF AMERICA		
0-22	V	UNITED STATES OF AMERICA		
0-23	W	UNITED STATES OF AMERICA		
0-24	X	UNITED STATES OF AMERICA		
0-25	Y	UNITED STATES OF AMERICA		
0-26	Z	UNITED STATES OF AMERICA		




7-28-F-534

TITLE		CROSSOVER ASSEMBLY	
SUBTITLE		FLASHES RT 12R	
PROCESS		PROCESS	
DATE		10/1/54	
BY		W.S.	
APP'D		A.S.	
MATERIAL		STEEL	
QUANTITY		1	
UNIT		INCHES	
TOLERANCE		0.005	
FINISH		POLISHED	
MARKING		NONE	
DRAWN		W.S.	
CHECKED		A.S.	
APPROVED		A.S.	
REVISIONS		NONE	
NEXT REV		NONE	
APPLICATION		NONE	

































Approved For Release 2005/06/06 : CIA-RDP78B04770A002400050036-3

